

### IMPLANT-SUPPORTED PROSTHESES

	Titanium CoCr	Zirconia Sina S, Sina T, Sina ML	IPS e.max CAD®* VITA ENAMIC®** VITA SUPRINITY PC®**	PMMA
<b>Abutment, screw-retained tooth</b>	D+2	D+2	-	-
<b>Abutment + cap</b>	D+4	D+4	D+4	-
<b>Abutments + bridge &lt; 6 elements</b>	D+4	D+4	-	-
<b>Abutments + bridge ≥ 6 elements</b>	D+5	D+5	-	-
<b>Bridge implantaire &lt; 6 elements</b>	D+3	D+3	-	D+3
<b>Bridge implantaire ≥ 6 elements</b>	D+5	D+5	-	D+5
<b>Bar on 2 implants</b> (Horix-Hader-Ackermann-Dolder)	D+3	-	-	-
<b>Bar on ≥ 3 implants</b> (Horix-Hader-Ackermann-Dolder)	D+5	-	-	-
<b>Superstructure + prosthesis on stilts</b> (Montreal, Wrap around)	D+5	-	-	-

### TOOTH-SUPPORTED RESTORATIONS

	Titanium CoCr	Zirconia Sina S, Sina T, Sina ML	IPS e.max CAD®* VITA ENAMIC®** VITA SUPRINITY PC®**	PMMA
<b>Crown</b>	D+2	D+2	D+2	D+2
<b>Inlay, onlay, facets</b>	D+2	D+2	-	-
<b>Bridge &lt; 6 elements</b>	D+2	D+2	-	D+2
<b>Bridge ≥ 6 elements</b>	D+3	D+3	-	D+3

\* IPS e.max CAD® Ivoclar Vivadent Manufacturer. \*\*VITA manufacturer.

#### Public Holidays in Luxembourg :

##### Year 2018

02/04/2018	Easter Monday
01/05/2018	Labour Day
10/05/2018	Ascension Day
21/05/2018	Whit Monday
15/08/2018	Assumption
1/11/2018	All Saints' Day
From 22/12/2018 to 01/01/2019	ANNUAL CLOSURE

**D** = Day of production file's acceptance.

\*In the case of a design done by us based on the model, the time stamp is taken into account for the validation.

**WARNING :** Any CAD-CAM based order, or validation of Anthogyr SA's design file made after 3.00pm implies to an extra day of lead-time.

**Note :** Business days are Monday through Friday, excluding weekends and public holidays. The above mentioned delivery times are for standard orders, and are maximum delivery times. Large quantities or special orders may require longer time. If production rate allows accelerated schedules, the delivery time may be shorter. The 03:00 p.m. order deadline is dictated by our production schedule.